

BULWARK BW 2688

Certified to European Standards



BULWARK[™]
DESIGNED TO PROTECT

We know what protects you the best!

info@bulwarkshoe.com

DESIGN	Executive Low Ankle
UPPER	Buff FG Hair Cell Smooth
SOLE	Direct Moulded Mono Density PU
TOE CAP	200 Joules Steel Toe
QUARTER LINING	Black / Grey Skin Fit, Milled Leather Collar Lining
HEIGHT	75 mm
VAMP LINING	Non-woven
IN – SOCKS	Black Leather with EVA
INSOLE	Non-woven Strobel
CONSTRUCTION	Direct Moulded PU



BULWARK[™]
DESIGNED TO PROTECT

We know what protects you the best!

info@bulwarkshoe.com

ANTI-STATIC 100 K OHMS – 1000 M OHMS

EYELETS Brass Black Oxidized
No. : 600

TONGUE Leather with Soft Foam Lining

LACES Round, Nylon, Black

THREAD Black Ticket No. 20

SIZES AVAILABLE 38-46/4-12

STANDARDS EN ISO 20345

OPTIONS AVAILABLE Steel Mid Plate / Gel Pad Socks etc.

ELECTRICAL RESISTANCE 15 KV



BULWARK[™]
DESIGNED TO PROTECT

We know what protects you the best!

info@bulwarkshoe.com