

BULWARK BW 621

Certified to European Standards



BULWARK[™]
DESIGNED TO PROTECT

We know what protects you the best!

info@bulwarkshoe.com

DESIGN	Low Ankle
UPPER	Grain Black Coarse
SOLE	Direct Moulded Double Density PU
TOE CAP	200 Joules Steel Toe
QUARTER LINING	FABTEX Laminated with 3mm Foam
HEIGHT	70 mm
VAMP LINING	Non-woven
IN – SOCKS	Grey FABTEX with Eva
INSOLE	Non-woven Strobel
CONSTRUCTION	Direct Moulded PU



BULWARK™
DESIGNED TO PROTECT

We know what protects you the best!

info@bulwarkshoe.com

ANTI-STATIC	100 K Ohms – 1000 M Ohms
EYELETS	D-Ring
TONGUE	Leather
LACES	Round, Nylon, Black-Grey
THREAD	Silver Ticket No 20
SIZES AVAILABLE	38-46/4-12
STANDARDS	EN ISO 20345
OPTIONS AVAILABLE	Steel Mid Plate / Gel Pad Socks etc
ELECTRICAL RESISTANCE	15 KV



BULWARK[™]
DESIGNED TO PROTECT

We know what protects you the best!

info@bulwarkshoe.com