

BULWARK BW 623B

Certified to European Standards



BULWARK[™]
DESIGNED TO PROTECT

We know what protects you the best!

info@bulwarkshoe.com

DESIGN	High Ankle
UPPER	Grain Smooth Cherry Oil Pull / Nubuck
SOLE	Direct Moulded Double Density PU
TOE CAP	200 Joules Steel Toe
QUARTER LINING	FABTEX Brown with Foam, PU Coagulated Brown Collar Lining
COUNTER LINING	Split Dyed Brown
HEIGHT	115 mm
VAMP LINING	Non-woven
IN – SOCKS	Leather with EVA & Gel Heel Pad
INSOLE	Non-woven Strobel
CONSTRUCTION	Direct Moulded PU




BULWARK[™]
DESIGNED TO PROTECT

We know what protects you the best!

info@bulwarkshoe.com

ANTI-STATIC	100 K OHMS – 1000 M OHMS
EYELETS	D-Ring, Brass Oxidised Black
TONGUE	PU Coagulated Brown
COLLAR	PU Coagulated Brown with Non-Woven
LACES	Flat, Nylon, Dark Brown, Light Brown
THREAD	Brown Ticket No. 20
SIZES AVAILABLE	38-46/4-12
STANDARDS	EN ISO 20345
OPTIONS AVAILABLE	Steel Mid Plate
ELECTRICAL RESISTANCE	15 KV



BULWARK™
DESIGNED TO PROTECT

We know what protects you the best!

info@bulwarkshoe.com