

BULWARK BW 624

Certified to European Standards



BULWARK[™]
DESIGNED TO PROTECT

We know what protects you the best!

info@bulwarkshoe.com

DESIGN	High Ankle
UPPER	Grain Black Tango
SOLE	Direct Moulded Double Density PU
TOE CAP	200 Joules Steel Toe
QUARTER LINING	Grey Distance Mesh
HEIGHT	125 mm
VAMP LINING	Non-woven
IN – SOCKS	FABTEX with EVA
INSOLE	Non-woven Strobel
CONSTRUCTION	Direct Moulded PU



BULWARK™
DESIGNED TO PROTECT

We know what protects you the best!

info@bulwarkshoe.com

ANTI-STATIC	100 K OHMS – 1000 M OHMS
EYELETS	D-Ring, Brass Oxidised
TONGUE	PU Coagulated with Grey Distance Mesh
LACES	Round, Nylon, Black-Grey
THREAD	Silver Ticket No. 20
SIZES AVAILABLE	38-46/4-12
STANDARDS	EN ISO 20345
OPTIONS AVAILABLE	Steel Mid Plate / Gel Pad Socks Etc
ELECTRICAL RESISTANCE	15 KV



BULWARK[™]
DESIGNED TO PROTECT

We know what protects you the best!

info@bulwarkshoe.com