

BULWARK BW 625A

Certified to European Standards




BULWARK[™]
DESIGNED TO PROTECT

We know what protects you the best!

info@bulwarkshoe.com

DESIGN	Low Ankle
UPPER	Grain Smooth Brown Oil Pull / Nubuck
SOLE	Direct Moulded Double Density PU
TOE CAP	200 Joules Steel Toe
QUARTER LINING	FABTEX Brown with Foam
COUNTER LINING	Split Dyed Brown
HEIGHT	70 mm
VAMP LINING	Non-woven
IN – SOCKS	Leather with EVA & Gel Heel Pad
INSOLE	Non-woven Strobel
CONSTRUCTION	Direct Moulded PU



BULWARK[™]
DESIGNED TO PROTECT

We know what protects you the best!

info@bulwarkshoe.com

ANTI-STATIC 100 K OHMS – 1000 M OHMS

EYELETS Brass Oxidised Antique Finish No. 600

TONGUE PU Coagulated

COLLAR PU Coagulated

LACES Round, Nylon, Dark Brown, Light Brown

THREAD Brown Ticket No. 20

SIZES AVAILABLE 38-46/4-12

STANDARDS EN ISO 20345

OPTIONS AVAILABLE Steel Mid Plate

ELECTRICAL RESISTANCE 15 KV



BULWARK[™]
DESIGNED TO PROTECT

We know what protects you the best!

info@bulwarkshoe.com