

BULWARK BW 626

Certified to European Standards




BULWARK[™]
DESIGNED TO PROTECT

We know what protects you the best!

info@bulwarkshoe.com

DESIGN	Semi High Ankle
UPPER	Grain Smooth Black Coarse
SOLE	Direct Moulded Double Density PU
TOE CAP	200 Joules Steel Toe
QUARTER LINING	Black Distance Mesh
COUNTER LINING	Split Dyed Black
HEIGHT	75 mm
VAMP LINING	Non-woven
IN – SOCKS	Leather with EVA & Gel Heel Pad
INSOLE	Non-woven Strobel
CONSTRUCTION	Direct Moulded PU



BULWARK[™]
DESIGNED TO PROTECT

We know what protects you the best!

info@bulwarkshoe.com

ANTI-STATIC 100 K OHMS – 1000 M OHMS

EYELETS D-Ring, Brass Oxidised

TONGUE PU Coagulated Black

COLLAR PU Coagulated Black

LACES Flat, Nylon, Black-Grey


THREAD Silver Ticket No. 20

SIZES AVAILABLE 38-46/4-12

STANDARDS EN ISO 20345

OPTIONS AVAILABLE Steel Mid Plate

ELECTRICAL RESISTANCE 15 KV



BULWARK[™]
DESIGNED TO PROTECT

We know what protects you the best!

info@bulwarkshoe.com